



# T&M Request

Form 1089 v2018.1

Date: 10/18/2024 Requested by: H. Kessler Company: PPC Precision Pipeline

Oracle Project # \_\_\_\_\_ Task: \_\_\_\_\_ Maximo # CP2444/111252092

OC: \_\_\_\_\_ Site Address: 657 Chestnut St. V-2405 PK 83

Kenia, Oh.

Project Type:

- System Improvement       Main       Service
- Public Improvement       Main       Service
- New Business       Main       Service       Meter
- Blanket       Main       Service       Retire
- BSCI       Main       Service
- Modernization       Main       Service

Brief Description of Request:

Home owner Request that we move her gas line under ground - service previously place 10/10 hand digging to new location to satisfy property owner

Contributing Factors:

Out of Scope (Describe):  
\_\_\_\_\_

Change in Scope (Describe):  
\_\_\_\_\_

Other (Describe):  
\_\_\_\_\_

Estimated Charge Resulting from Request (Labor Hours and Tooling):

3 hrs of 3 man T&M

Did T&M Result from Change in Construction?       Yes       No

Did T&M Create a Change In Construction?       Yes       No

Approved By \_\_\_\_\_ (Operations Supervisor) Date \_\_\_\_\_

Approved By \_\_\_\_\_ (Project Engineer) Date \_\_\_\_\_

## Chris Sands

---

**From:** Howard Kessler  
**Sent:** Friday, November 1, 2024 12:55 PM  
**To:** Chris Sands  
**Subject:** FW: [External Email] RE: Scan Image From Main Office M0224

-----Original Message-----

From: Wilhelm, Justin M <justin.wilhelm@centerpointenergy.com>  
Sent: Friday, October 25, 2024 12:18 PM  
To: Howard Kessler <hkessler@precisionpipelineco.com>; Howard Kessler <hkessler@precisionpipelineco.com>  
Subject: RE: [External Email] RE: Scan Image From Main Office M0224

Yes sir Approved!

-----Original Message-----

From: Howard Kessler <hkessler@precisionpipelineco.com>  
Sent: Friday, October 25, 2024 8:52 AM  
To: Howard Kessler <hkessler@precisionpipelineco.com>; Wilhelm, Justin M <justin.wilhelm@centerpointenergy.com>  
Subject: [External Email] RE: Scan Image From Main Office M0224

EXTERNAL EMAIL

| CAUTION: This message originated from outside CenterPoint Energy. Do not click on links, open attachments, or enter data unless you recognize the sender, were expecting the content and know it to be safe.

Did you approve this request.

-----Original Message-----

From: Howard Kessler  
Sent: Monday, October 21, 2024 12:42 PM  
To: Wilhelm, Justin M <justin.wilhelm@centerpointenergy.com>  
Subject: FW: Scan Image From Main Office M0224

-----Original Message-----

From: pipelinecopier@precisionpipelineco.com <pipelinecopier@precisionpipelineco.com>  
Sent: Monday, October 21, 2024 12:35 PM  
To: Howard Kessler <hkessler@precisionpipelineco.com>  
Subject: Scan Image From Main Office M0224

This E-mail was sent from "MainOffice-M0224" (IM C2500).

Scan Date: 10.21.2024 12:35:15 (-0400)  
Queries to: pipelinecopier@precisionpipelineco.com